








AIR SCRAP REMOVER



SERIES SP-ER



- High max load (56 kgs)
- Easy assembly ready to use
- Low maintenance (no power, no belt replacement)
- Great reliability and long life
- Superior tolerance to uneven loads
- Ideal to remove scrap from stamping dies

ORDER	Smax		Max. Load		$\angle$ min °	Pmin		Pmax		Tmax	
	mm	inch	Kg.	lb		bar	psi	bar	psi	°C	°F
SP-ER 3	30	1.18	6	13.23	6	4	58	6	87	60	140
SP-ER 5	33	1.30	14	30.86	6	4	58	6	87	60	140
SP-ER 7	20	0.79	36	79.37	6	4	58	6	87	60	140
SP-ER 9	28	1.10	56	123.46	6	4	58	6	87	60	140




**SP-ER 3****SP-ER 5****SP-ER 7****SP-ER 9**

SP-ER 3


Air Scrap Remover

AZOL
GAS**HOLDER**


ORDER	S		L1 Min.		L1 Max.	
	mm	inch	mm	inch	mm	inch
ER - 12	12.5	0.49	39.5	1.56	52	2.05
ER - 25	25	0.98	52	2.05	77	3.03
ER - 50	50	1.97	77	3.03	127	5.00

**TECHNICAL DATA**


	Fluid	AIR								
	Smax	30 mm 1.18 inch								
	Fluid	AIR								
	Smax	30 mm 1.18 inch								



HOLDER




TECHNICAL DATA




SP-ER 7


Air Scrap Remover


AZOL
GAS


HOLDER




TECHNICAL DATA





HOLDER



TECHNICAL DATA

